

Talis E
Single lever shower mixer for exposed installation
 Finish: **Chrome** Article Number: **71760007**




Description


product features

- centre distance: 150 ± 12 mm
- maximum flow rate at 3 bar: 22 l/min
- ceramic cartridge
- temperature limitation adjustable
- non-return valve
- with silencer
- hose connection DN15
- connection dimension: DN15
- connection type: s-shaped connections


Product image



Scale drawing



Flowchart




Shower outlet with 1B-resistance

Talis E
Single lever shower mixer for exposed installation
 Finish: **Chrome** Article Number: **71760007**



Exploded Drawing

Year of production: >06/15



Talis E
Single lever shower mixer for exposed installation
 Finish: **Chrome** Article Number: **71760007**



Spare part list

Year of production: >06/15

Pos.	Description	Article Number	PC	PU
1	handle	92666000	8	1
2	screw cover	96338000	1	1
3	flange	97406000	6	1
4	nut	97977000	9	1
5	O-Ring 32x2	98193000	1	1
6	O-ring 33x1,5	98164000	1	1
7	cartridge, assy	92730000	11	1
8	locking screw for handle	95140000	2	1
9	seal	95008000	3	1
10	Hose Connection	96044000	5	1
11	O-ring 14x2	98129000	1	1
12	set of nuts	96157000	8	1
13	connecting thread	97220000	5	1
14	O-ring 15x2	98163000	1	1
15	filter packing	96922000	3	1
16	escutcheon Ø 70 mm	94135000	4	1
17	set of S-unions (±12 mm)	94140000	10	1